-13-

Parts List:

	100 operating console
	102 control panel
5	104 display
	106 image processor module
	108 central processing unit (CPU)
	112 tape drive
	114 disk storage
10	116 link
	120 computer system
	122 system control
	124 memory module
	126 high speed serial link
15	128 serial link
	130 gradient amplifiers
	132 physiological acquisition controller
	134 patient positioning system
	136 scan room interface circuit
20	138 pulse generator module
	140 polarizing magnet
	142 magnet assembly
	144 gradient coil assembly
	146 CPU module
25	150 transceiver module
	152 RF coil
	154 transmit/receive switch
	156 RF amplifier
	158 preamplifier
30	160 memory module
	164 array processor
	200 physiological pipeline
	202 physiological data
	204 physiological data acquisition
35	206 calculate trigger
	208 visual display of physiological event
	210 MR data pipeline
	212 MR image data
	214 MR data acquisition
40	216 MR data reconstruction
	218 data storage
	220 trigger control
	222 MR data display
	230 physiological pipeline
45	232 physiological data
	234 physiological data acquisition
	236, calculate trigger

		238	visual display of physiological event
		240	time synchronization
		242	data conduit
		244	MR image display
	5	246	physiological waveform display
			MR data pipeline
		252	MR image data
		254	MR data acquisition
		256	MR data reconstruction
	10	258	data store
		262	combined visual display
		270	physiological signal waveform
		272	gated mode synchronization
		274	gate/no gate burst mode synchronization
	15	276	segmented burst mode synchronization
==		300	physiological acquisition controller (PAC)
œ. ₽		302	physiological waveform
The course from the second sec		304	signal processing unit (SPU)
₽ ¹ ==		306	physiological waveform
7	20		trigger number
Ĭ		310	triggers
<u>.</u>		312	sequencer (SEQ)
Ē			trigger number
		316	start sequence interrupt (SSI)
	25		application gateway processor (AGP)
and the state of t			scan control processor (SCP)
į			wave form segments
i e			image timestamp
			acquisition processing system (APS)
:	30	330	trigger and timestamp data
		332	host







